



ALS Technichem (HK) Pty Ltd  
11/F., Chung Shun Knitting Centre,  
1 - 3 Wing Yip Street,  
Kwai Chung, N.T., Hong Kong  
T: +852 2610 1044  
F: +852 2610 2021  
[www.alsglobal.com](http://www.alsglobal.com)

---

### CERTIFICATE OF ANALYSIS

---

|           |   |                       |   |                  |
|-----------|---|-----------------------|---|------------------|
| Client    | : | Page                  | : | 1 of 2           |
| Contact   | : | Work Order            | : | <b>HK1768881</b> |
| Address   | : | Date Samples Received | : | 27-Sep-2017      |
| E-mail    | : | Issue Date            | : | 13-Oct-2017      |
| Telephone | : | Order number          | : | ----             |
| Fax       | : |                       |   |                  |

---

#### *General Comments*

##### **Specific Comments for Work Order: HK1768881**

- Sample(s) were received in ambient condition.
  - Sample(s) analysed and reported on an as received basis.
  - Sample(s) as received, digested by In-house method E-BIOTA, prior to the determination of metals.
  - The reporting result in "Method Code FG020i, Arsenic as As2O3 (by calculation)" in this report is calculated based on the total Arsenic result determined in the sample multiplied by a factor of 1.32.
- 

#### *Signatories*

This document has been signed by those names that appear on this report and are the authorised signatories.

| <i>Signatories</i>       | <i>Position</i> | <i>Authorised results for</i> |
|--------------------------|-----------------|-------------------------------|
| Leung Chak Cheong , Mike | Senior Chemist  | Food                          |

---

---

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. All pages of this report have been checked and approved for release. Testing period is from 27-Sep-2017 to 09-Oct-2017.  
This report may not be reproduced except with prior written approval from the testing laboratory.



**Analytical Results**

| Sub-Matrix: LIQUID CHEMICAL |                    |       |       | Client sample ID   | Nice - Crystal Sanitizer コレスゴ! | ---  |
|-----------------------------|--------------------|-------|-------|--------------------|--------------------------------|------|
|                             |                    |       |       | Sampling date/time | 27-Sep-2017                    | ---- |
| Method                      | Test Parameter     | Unit  | LOR   | HK1768881-001      | -----                          |      |
| FG020 A_3051A               | Antimony           | mg/kg | 0.2   | <0.2               | ----                           |      |
| FG020 A_3051A               | Arsenic            | mg/kg | 0.1   | <0.1               | ----                           |      |
| FG020 A_3051A               | Cadmium            | mg/kg | 0.02  | <0.02              | ----                           |      |
| FG020 A_3051A               | Chromium           | mg/kg | 0.2   | <0.2               | ----                           |      |
| FG020 A_3051A               | Lead               | mg/kg | 0.10  | <0.1               | ----                           |      |
| FG020 A_3051A               | Mercury            | mg/kg | 0.03  | <0.03              | ----                           |      |
| FG020 A_3051A               | Tin                | mg/kg | 0.5   | <0.5               | ----                           |      |
| FG020 A_3051A               | Arsenic (as As2O3) | mg/kg | 0.132 | <0.132             | ----                           |      |